



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on JANVIER 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,654	0,704	0,540	0,627	0,284
	MA2H	1.4021	420	0,654	0,704	0,540	0,627	0,284
	MA3	1.4028	420	0,654	0,704	0,540	0,627	0,284
	MA3H	1.4028	420	0,654	0,704	0,540	0,627	0,284
Ferritic stainless steels	K09	1.4512	409	0,599	0,644	0,528	0,574	0,260
	K30	1.4016	430	0,761	0,819	0,649	0,729	0,331
	K30ED	1.4016	430	0,761	0,819	0,649	0,729	0,331
	K30L	1.4010	430	0,761	0,819	0,638	0,729	0,331
	K31	1.4017	431	0,898	0,966	0,752	0,860	0,390
	K36	1.4526	436	1,241	1,335	1,040	1,189	0,539
	K36X	1.4526	436	1,241	1,335	1,040	1,189	0,539
	K39M	1.4510	430Ti	0,779	0,838	0,652	0,746	0,338
	K41	1.4509	441	0,909	0,978	0,772	0,871	0,395
	K44	1.4521	444	1,237	1,331	1,012	1,185	0,538
K44X	1.4521	444	1,311	1,410	1,098	1,256	0,570	
Austenitic stainless steels containing Manganese	161Mn			1,105	1,188	0,925	1,058	0,480
	164Mn	1.4372	201	1,348	1,450	1,129	1,291	0,586
Austenitic stainless steels	177A	1.4310	301	1,549	1,666	1,312	1,484	0,673
	177C	1.4310	301	1,549	1,666	1,312	1,484	0,673
	177E	1.4310	301	1,632	1,756	1,369	1,564	0,709
	189D	1.4301	304	1,638	1,762	1,395	1,570	0,712
	189E	1.4301	304	1,638	1,762	1,395	1,570	0,712
	189DDQ	1.4301	304	1,638	1,762	1,395	1,570	0,712
	1810L	1.4306	304L	1,792	1,928	1,519	1,717	0,779
	189L	1.4307	304L	1,638	1,762	1,395	1,570	0,712
	189EL	1.4307	304L	1,638	1,762	1,395	1,570	0,712
	1812D	1.4303	305	2,039	2,193	1,726	1,953	0,886
1810T	1.4541	321	1,791	1,926	1,518	1,716	0,778	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,298	2,471	1,950	2,201	0,998
	1813MS	1.4435	316L	2,552	2,745	2,162	2,445	1,109
	1711MT	1.4571	316Ti	2,336	2,513	1,975	2,238	1,015
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,075	2,232	1,771	1,988	0,901
Duplex stainless steels	DX2205	1.4462		1,991	2,142	1,659	1,908	0,865



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on FEBRUARY 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,828	0,887	0,694	0,885	0,401
	MA2H	1.4021	420	0,828	0,887	0,694	0,885	0,401
	MA3	1.4028	420	0,828	0,887	0,694	0,885	0,401
	MA3H	1.4028	420	0,828	0,887	0,694	0,885	0,401
Ferritic stainless steels	K09	1.4512	409	0,754	0,808	0,677	0,806	0,366
	K30	1.4016	430	0,975	1,046	0,855	1,043	0,473
	K30ED	1.4016	430	0,975	1,046	0,855	1,043	0,473
	K30L	1.4010	430	0,975	1,046	0,840	1,043	0,473
	K31	1.4017	431	1,095	1,174	0,942	1,170	0,531
	K36	1.4526	436	1,483	1,590	1,277	1,586	0,719
	K36X	1.4526	436	1,483	1,590	1,277	1,586	0,719
	K39M	1.4510	430Ti	0,998	1,069	0,859	1,066	0,484
	K41	1.4509	441	1,121	1,201	0,980	1,198	0,543
	K44	1.4521	444	1,470	1,576	1,235	1,571	0,713
K44X	1.4521	444	1,545	1,656	1,330	1,651	0,749	
Austenitic stainless steels containing Manganese	161Mn			1,300	1,394	1,119	1,390	0,630
	164Mn	1.4372	201	1,501	1,610	1,292	1,605	0,728
Austenitic stainless steels	177A	1.4310	301	1,654	1,774	1,440	1,769	0,802
	177C	1.4310	301	1,654	1,774	1,440	1,769	0,802
	177E	1.4310	301	1,747	1,872	1,494	1,867	0,847
	189D	1.4301	304	1,749	1,875	1,513	1,870	0,848
	189E	1.4301	304	1,749	1,875	1,513	1,870	0,848
	189DDQ	1.4301	304	1,749	1,875	1,513	1,870	0,848
	1810L	1.4306	304L	1,888	2,024	1,624	2,018	0,915
	189L	1.4307	304L	1,749	1,875	1,513	1,870	0,848
	189EL	1.4307	304L	1,749	1,875	1,513	1,870	0,848
	1812D	1.4303	305	2,109	2,261	1,813	2,255	1,023
1810T	1.4541	321	1,887	2,023	1,622	2,017	0,915	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,381	2,553	2,055	2,546	1,154
	1813MS	1.4435	316L	2,619	2,807	2,255	2,799	1,270
	1711MT	1.4571	316Ti	2,414	2,588	2,079	2,581	1,171
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,156	2,312	1,872	2,305	1,045
Duplex stainless steels	DX2205	1.4462		2,199	2,358	1,886	2,351	1,066



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on MARCH 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,787	0,840	0,672	0,832	0,377
	MA2H	1.4021	420	0,787	0,840	0,672	0,832	0,377
	MA3	1.4028	420	0,787	0,840	0,672	0,832	0,377
	MA3H	1.4028	420	0,787	0,840	0,672	0,832	0,377
Ferritic stainless steels	K09	1.4512	409	0,715	0,763	0,656	0,755	0,343
	K30	1.4016	430	0,934	0,996	0,831	0,987	0,448
	K30ED	1.4016	430	0,934	0,996	0,831	0,987	0,448
	K30L	1.4010	430	0,934	0,996	0,798	0,987	0,448
	K31	1.4017	431	1,054	1,125	0,901	1,114	0,505
	K36	1.4526	436	1,450	1,548	1,239	1,533	0,695
	K36X	1.4526	436	1,450	1,548	1,239	1,533	0,695
	K39M	1.4510	430Ti	0,956	1,020	0,833	1,010	0,458
	K41	1.4509	441	1,077	1,150	0,954	1,139	0,516
	K44	1.4521	444	1,446	1,544	1,220	1,529	0,693
K44X	1.4521	444	1,520	1,623	1,299	1,607	0,729	
Austenitic stainless steels containing Manganese	161Mn			1,274	1,359	1,088	1,346	0,610
	164Mn	1.4372	201	1,468	1,567	1,254	1,552	0,704
Austenitic stainless steels	177A	1.4310	301	1,617	1,726	1,407	1,710	0,775
	177C	1.4310	301	1,617	1,726	1,407	1,710	0,775
	177E	1.4310	301	1,716	1,831	1,465	1,814	0,822
	189D	1.4301	304	1,712	1,827	1,478	1,810	0,821
	189E	1.4301	304	1,712	1,827	1,478	1,810	0,821
	189DDQ	1.4301	304	1,712	1,827	1,478	1,810	0,821
	1810L	1.4306	304L	1,851	1,976	1,585	1,957	0,887
	189L	1.4307	304L	1,712	1,827	1,478	1,810	0,821
	189EL	1.4307	304L	1,712	1,827	1,478	1,810	0,821
	1812D	1.4303	305	2,074	2,214	1,772	2,192	0,994
1810T	1.4541	321	1,851	1,976	1,585	1,957	0,887	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,368	2,527	2,027	2,503	1,135
	1813MS	1.4435	316L	2,610	2,786	2,226	2,759	1,251
	1711MT	1.4571	316Ti	2,401	2,563	2,049	2,538	1,151
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,121	2,263	1,831	2,241	1,016
Duplex stainless steels	DX2205	1.4462		2,191	2,338	1,867	2,315	1,050



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on AVRIL 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,834	0,892	0,694	0,899	0,408
	MA2H	1.4021	420	0,834	0,892	0,694	0,899	0,408
	MA3	1.4028	420	0,834	0,892	0,694	0,899	0,408
	MA3H	1.4028	420	0,834	0,892	0,694	0,899	0,408
Ferritic stainless steels	K09	1.4512	409	0,760	0,813	0,678	0,819	0,372
	K30	1.4016	430	0,978	1,046	0,855	1,054	0,478
	K30ED	1.4016	430	0,978	1,046	0,855	1,054	0,478
	K30L	1.4010	430	0,978	1,046	0,844	1,054	0,478
	K31	1.4017	431	1,101	1,178	0,950	1,187	0,538
	K36	1.4526	436	1,526	1,633	1,318	1,645	0,746
	K36X	1.4526	436	1,526	1,633	1,318	1,645	0,746
	K39M	1.4510	430Ti	1,000	1,070	0,855	1,078	0,489
	K41	1.4509	441	1,123	1,201	0,977	1,211	0,549
	K44	1.4521	444	1,533	1,639	1,279	1,652	0,749
K44X	1.4521	444	1,605	1,717	1,386	1,730	0,785	
Austenitic stainless steels containing Manganese	161Mn			1,313	1,405	1,134	1,416	0,642
	164Mn	1.4372	201	1,512	1,617	1,305	1,630	0,739
Austenitic stainless steels	177A	1.4310	301	1,679	1,796	1,464	1,810	0,821
	177C	1.4310	301	1,679	1,796	1,464	1,810	0,821
	177E	1.4310	301	1,792	1,917	1,533	1,932	0,876
	189D	1.4301	304	1,775	1,899	1,540	1,913	0,868
	189E	1.4301	304	1,775	1,899	1,540	1,913	0,868
	189DDQ	1.4301	304	1,775	1,899	1,540	1,913	0,868
	1810L	1.4306	304L	1,918	2,051	1,653	2,067	0,937
	189L	1.4307	304L	1,775	1,899	1,540	1,913	0,868
	189EL	1.4307	304L	1,775	1,899	1,540	1,913	0,868
	1812D	1.4303	305	2,145	2,294	1,850	2,312	1,048
1810T	1.4541	321	1,916	2,050	1,653	2,066	0,937	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,483	2,656	2,139	2,677	1,214
	1813MS	1.4435	316L	2,739	2,930	2,354	2,953	1,339
	1711MT	1.4571	316Ti	2,518	2,693	2,164	2,714	1,231
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,191	2,343	1,910	2,361	1,071
Duplex stainless steels	DX2205	1.4462		2,305	2,466	1,969	2,485	1,127



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on MAI 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,795	0,850	0,659	0,864	0,392
	MA2H	1.4021	420	0,795	0,850	0,659	0,864	0,392
	MA3	1.4028	420	0,795	0,850	0,659	0,864	0,392
	MA3H	1.4028	420	0,795	0,850	0,659	0,864	0,392
Ferritic stainless steels	K09	1.4512	409	0,727	0,777	0,645	0,790	0,358
	K30	1.4016	430	0,930	0,994	0,811	1,011	0,458
	K30ED	1.4016	430	0,930	0,994	0,811	1,011	0,458
	K30L	1.4010	430	0,930	0,994	0,794	1,011	0,458
	K31	1.4017	431	1,041	1,113	0,888	1,131	0,513
	K36	1.4526	436	1,501	1,605	1,281	1,631	0,740
	K36X	1.4526	436	1,501	1,605	1,281	1,631	0,740
	K39M	1.4510	430Ti	0,951	1,017	0,812	1,034	0,469
	K41	1.4509	441	1,075	1,150	0,934	1,169	0,530
	K44	1.4521	444	1,523	1,628	1,274	1,655	0,751
K44X	1.4521	444	1,592	1,702	1,359	1,730	0,785	
Austenitic stainless steels containing Manganese	161Mn			1,258	1,346	1,074	1,368	0,620
	164Mn	1.4372	201	1,420	1,518	1,212	1,543	0,700
Austenitic stainless steels	177A	1.4310	301	1,563	1,672	1,357	1,699	0,771
	177C	1.4310	301	1,563	1,672	1,357	1,699	0,771
	177E	1.4310	301	1,694	1,811	1,442	1,841	0,835
	189D	1.4301	304	1,651	1,765	1,423	1,794	0,814
	189E	1.4301	304	1,651	1,765	1,423	1,794	0,814
	189DDQ	1.4301	304	1,651	1,765	1,423	1,794	0,814
	1810L	1.4306	304L	1,780	1,903	1,525	1,935	0,877
	189L	1.4307	304L	1,651	1,765	1,423	1,794	0,814
	189EL	1.4307	304L	1,651	1,765	1,423	1,794	0,814
	1812D	1.4303	305	1,987	2,125	1,702	2,160	0,980
1810T	1.4541	321	1,779	1,902	1,524	1,933	0,877	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,380	2,545	2,042	2,587	1,173
	1813MS	1.4435	316L	2,632	2,815	2,252	2,861	1,298
	1711MT	1.4571	316Ti	2,412	2,580	2,063	2,622	1,189
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,041	2,182	1,759	2,218	1,006
Duplex stainless steels	DX2205	1.4462		2,258	2,415	1,931	2,455	1,113



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on JUNE 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,766	0,834	0,620	0,687	0,312
	MA2H	1.4021	420	0,766	0,834	0,620	0,687	0,312
	MA3	1.4028	420	0,766	0,834	0,620	0,687	0,312
	MA3H	1.4028	420	0,766	0,834	0,620	0,687	0,312
Ferritic stainless steels	K09	1.4512	409	0,702	0,764	0,605	0,630	0,286
	K30	1.4016	430	0,893	0,972	0,763	0,801	0,363
	K30ED	1.4016	430	0,893	0,972	0,763	0,801	0,363
	K30L	1.4010	430	0,893	0,972	0,758	0,801	0,363
	K31	1.4017	431	0,990	1,078	0,841	0,888	0,403
	K36	1.4526	436	1,427	1,553	1,211	1,280	0,580
	K36X	1.4526	436	1,427	1,553	1,211	1,280	0,580
	K39M	1.4510	430Ti	0,911	0,992	0,764	0,818	0,371
	K41	1.4509	441	1,033	1,125	0,883	0,927	0,420
	K44	1.4521	444	1,440	1,568	1,198	1,292	0,586
K44X	1.4521	444	1,508	1,641	1,280	1,353	0,613	
Austenitic stainless steels containing Manganese	161Mn			1,198	1,304	1,017	1,075	0,487
	164Mn	1.4372	201	1,332	1,450	1,131	1,195	0,542
Austenitic stainless steels	177A	1.4310	301	1,446	1,574	1,236	1,297	0,588
	177C	1.4310	301	1,446	1,574	1,236	1,297	0,588
	177E	1.4310	301	1,566	1,704	1,315	1,405	0,637
	189D	1.4301	304	1,525	1,660	1,293	1,368	0,620
	189E	1.4301	304	1,525	1,660	1,293	1,368	0,620
	189DDQ	1.4301	304	1,525	1,660	1,293	1,368	0,620
	1810L	1.4306	304L	1,640	1,784	1,381	1,471	0,667
	189L	1.4307	304L	1,525	1,660	1,293	1,368	0,620
	189EL	1.4307	304L	1,525	1,660	1,293	1,368	0,620
	1812D	1.4303	305	1,822	1,983	1,536	1,634	0,741
1810T	1.4541	321	1,638	1,783	1,380	1,470	0,666	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,183	2,376	1,855	1,958	0,888
	1813MS	1.4435	316L	2,408	2,621	2,043	2,160	0,980
	1711MT	1.4571	316Ti	2,210	2,406	1,873	1,983	0,899
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,872	2,038	1,590	1,679	0,762
Duplex stainless steels	DX2205	1.4462		2,096	2,281	1,781	1,880	0,853



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on JULY 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,743	0,808	0,624	0,831	0,377
	MA2H	1.4021	420	0,743	0,808	0,624	0,831	0,377
	MA3	1.4028	420	0,743	0,808	0,624	0,831	0,377
	MA3H	1.4028	420	0,743	0,808	0,624	0,831	0,377
Ferritic stainless steels	K09	1.4512	409	0,681	0,741	0,609	0,763	0,346
	K30	1.4016	430	0,867	0,943	0,766	0,970	0,440
	K30ED	1.4016	430	0,867	0,943	0,766	0,970	0,440
	K30L	1.4010	430	0,867	0,943	0,757	0,970	0,440
	K31	1.4017	431	0,958	1,042	0,837	1,072	0,486
	K36	1.4526	436	1,369	1,489	1,195	1,532	0,695
	K36X	1.4526	436	1,369	1,489	1,195	1,532	0,695
	K39M	1.4510	430Ti	0,886	0,963	0,766	0,991	0,449
	K41	1.4509	441	1,006	1,094	0,891	1,126	0,511
	K44	1.4521	444	1,371	1,492	1,167	1,535	0,696
K44X	1.4521	444	1,440	1,567	1,258	1,612	0,731	
Austenitic stainless steels containing Manganese	161Mn			1,161	1,263	1,014	1,299	0,589
	164Mn	1.4372	201	1,285	1,398	1,122	1,438	0,652
Austenitic stainless steels	177A	1.4310	301	1,386	1,508	1,218	1,551	0,703
	177C	1.4310	301	1,386	1,508	1,218	1,551	0,703
	177E	1.4310	301	1,493	1,624	1,285	1,671	0,758
	189D	1.4301	304	1,462	1,591	1,276	1,637	0,742
	189E	1.4301	304	1,462	1,591	1,276	1,637	0,742
	189DDQ	1.4301	304	1,462	1,591	1,276	1,637	0,742
	1810L	1.4306	304L	1,569	1,707	1,357	1,756	0,796
	189L	1.4307	304L	1,462	1,591	1,276	1,637	0,742
	189EL	1.4307	304L	1,462	1,591	1,276	1,637	0,742
	1812D	1.4303	305	1,743	1,895	1,504	1,950	0,884
1810T	1.4541	321	1,568	1,706	1,355	1,755	0,796	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,063	2,244	1,785	2,308	1,047
	1813MS	1.4435	316L	2,271	2,470	1,959	2,541	1,152
	1711MT	1.4571	316Ti	2,089	2,272	1,802	2,337	1,060
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,791	1,948	1,558	2,004	0,909
Duplex stainless steels	DX2205	1.4462		1,980	2,154	1,713	2,216	1,005



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on August 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,649	0,713	0,563	0,756	0,343
	MA2H	1.4021	420	0,649	0,713	0,563	0,756	0,343
	MA3	1.4028	420	0,649	0,713	0,563	0,756	0,343
	MA3H	1.4028	420	0,649	0,713	0,563	0,756	0,343
Ferritic stainless steels	K09	1.4512	409	0,601	0,660	0,547	0,700	0,318
	K30	1.4016	430	0,744	0,817	0,672	0,866	0,393
	K30ED	1.4016	430	0,744	0,817	0,672	0,866	0,393
	K30L	1.4010	430	0,744	0,817	0,657	0,866	0,393
	K31	1.4017	431	0,839	0,921	0,740	0,976	0,443
	K36	1.4526	436	1,213	1,331	1,070	1,412	0,640
	K36X	1.4526	436	1,213	1,331	1,070	1,412	0,640
	K39M	1.4510	430Ti	0,759	0,833	0,669	0,883	0,401
	K41	1.4509	441	0,886	0,972	0,795	1,031	0,467
	K44	1.4521	444	1,212	1,330	1,052	1,410	0,640
K44X	1.4521	444	1,282	1,406	1,131	1,492	0,677	
Austenitic stainless steels containing Manganese	161Mn			1,043	1,145	0,921	1,214	0,551
	164Mn	1.4372	201	1,175	1,289	1,037	1,368	0,620
Austenitic stainless steels	177A	1.4310	301	1,288	1,413	1,139	1,499	0,680
	177C	1.4310	301	1,288	1,413	1,139	1,499	0,680
	177E	1.4310	301	1,383	1,517	1,202	1,609	0,730
	189D	1.4301	304	1,355	1,487	1,198	1,578	0,716
	189E	1.4301	304	1,355	1,487	1,198	1,578	0,716
	189DDQ	1.4301	304	1,355	1,487	1,198	1,578	0,716
	1810L	1.4306	304L	1,464	1,606	1,284	1,704	0,773
	189L	1.4307	304L	1,355	1,487	1,198	1,578	0,716
	189EL	1.4307	304L	1,355	1,487	1,198	1,578	0,716
	1812D	1.4303	305	1,641	1,800	1,434	1,910	0,866
1810T	1.4541	321	1,462	1,605	1,279	1,702	0,772	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	1,929	2,116	1,688	2,245	1,018
	1813MS	1.4435	316L	2,133	2,341	1,862	2,483	1,126
	1711MT	1.4571	316Ti	1,956	2,146	1,705	2,276	1,032
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,678	1,841	1,474	1,953	0,886
Duplex stainless steels	DX2205	1.4462		1,788	1,963	1,571	2,082	0,944



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on September 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,608	0,689	0,550	0,717	0,325
	MA2H	1.4021	420	0,608	0,689	0,550	0,717	0,325
	MA3	1.4028	420	0,608	0,689	0,550	0,717	0,325
	MA3H	1.4028	420	0,608	0,689	0,550	0,717	0,325
Ferritic stainless steels	K09	1.4512	409	0,569	0,646	0,525	0,671	0,304
	K30	1.4016	430	0,684	0,776	0,627	0,807	0,366
	K30ED	1.4016	430	0,684	0,776	0,627	0,807	0,366
	K30L	1.4010	430	0,684	0,776	0,617	0,807	0,366
	K31	1.4017	431	0,790	0,896	0,713	0,932	0,423
	K36	1.4526	436	1,159	1,314	1,046	1,368	0,620
	K36X	1.4526	436	1,159	1,314	1,046	1,368	0,620
	K39M	1.4510	430Ti	0,695	0,788	0,624	0,820	0,372
	K41	1.4509	441	0,824	0,935	0,752	0,972	0,441
	K44	1.4521	444	1,166	1,323	1,031	1,376	0,624
K44X	1.4521	444	1,234	1,399	1,114	1,456	0,660	
Austenitic stainless steels containing Manganese	161Mn			1,002	1,137	0,905	1,182	0,536
	164Mn	1.4372	201	1,156	1,311	1,043	1,364	0,619
Austenitic stainless steels	177A	1.4310	301	1,299	1,473	1,161	1,533	0,695
	177C	1.4310	301	1,299	1,473	1,161	1,533	0,695
	177E	1.4310	301	1,397	1,585	1,235	1,648	0,748
	189D	1.4301	304	1,365	1,549	1,229	1,611	0,730
	189E	1.4301	304	1,365	1,549	1,229	1,611	0,730
	189DDQ	1.4301	304	1,365	1,549	1,229	1,611	0,730
	1810L	1.4306	304L	1,485	1,684	1,331	1,752	0,795
	189L	1.4307	304L	1,365	1,549	1,229	1,611	0,730
	189EL	1.4307	304L	1,365	1,549	1,229	1,611	0,730
	1812D	1.4303	305	1,678	1,904	1,499	1,980	0,898
1810T	1.4541	321	1,483	1,683	1,323	1,750	0,794	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	1,985	2,252	1,769	2,342	1,062
	1813MS	1.4435	316L	2,207	2,503	1,964	2,604	1,181
	1711MT	1.4571	316Ti	2,015	2,285	1,790	2,378	1,078
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,708	1,938	1,530	2,015	0,914
Duplex stainless steels	DX2205	1.4462		1,780	2,019	1,593	2,100	0,953



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on October 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,689	0,788	0,619	0,820	0,372
	MA2H	1.4021	420	0,689	0,788	0,619	0,820	0,372
	MA3	1.4028	420	0,686	0,786	0,620	0,817	0,370
	MA3H	1.4028	420	0,686	0,786	0,620	0,817	0,370
Ferritic stainless steels	K09	1.4512	409	0,659	0,755	0,577	0,785	0,356
	K30	1.4016	430	0,771	0,883	0,692	0,918	0,416
	K30ED	1.4016	430	0,771	0,883	0,692	0,918	0,416
	K30L	1.4010	430	0,769	0,880	0,697	0,915	0,415
	K31	1.4017	431	0,892	1,021	0,809	1,061	0,481
	K36	1.4526	436	1,260	1,442	1,142	1,499	0,680
	K36X	1.4526	436	1,260	1,442	1,142	1,499	0,680
	K39M	1.4510	430Ti	0,797	0,912	0,689	0,948	0,430
	K41	1.4509	441	0,926	1,060	0,818	1,102	0,500
	K44	1.4521	444	1,276	1,460	1,118	1,518	0,688
K44X	1.4521	444	1,336	1,529	1,211	1,590	0,721	
Austenitic stainless steels containing Manganese	161Mn			1,082	1,238	0,981	1,287	0,584
	164Mn	1.4372	201	1,293	1,480	1,172	1,538	0,698
Austenitic stainless steels	177A	1.4310	301	1,493	1,709	1,321	1,777	0,806
	177C	1.4310	301	1,476	1,690	1,321	1,756	0,797
	177E	1.4310	301	1,604	1,836	1,397	1,909	0,866
	189D	1.4301	304	1,518	1,737	1,400	1,806	0,819
	189E	1.4301	304	1,551	1,776	1,400	1,846	0,837
	189DDQ	1.4301	304	1,551	1,776	1,400	1,846	0,837
	1810L	1.4306	304L	1,681	1,925	1,524	2,001	0,907
	189L	1.4307	304L	1,551	1,776	1,400	1,846	0,837
	189EL	1.4307	304L	1,518	1,737	1,400	1,806	0,819
	1812D	1.4303	305	1,901	2,177	1,717	2,263	1,026
1810T	1.4541	321	1,680	1,923	1,512	1,999	0,907	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,208	2,527	1,998	2,627	1,191
	1813MS	1.4435	316L	2,451	2,806	2,219	2,917	1,323
	1711MT	1.4571	316Ti	2,242	2,567	2,022	2,668	1,210
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,961	2,244	1,755	2,333	1,058
Duplex stainless steels	DX2205	1.4462		1,947	2,229	1,755	2,317	1,051



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on November 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,716	0,823	0,675	0,844	0,383
	MA2H	1.4021	420	0,716	0,823	0,675	0,844	0,383
	MA3	1.4028	420	0,712	0,819	0,664	0,839	0,381
	MA3H	1.4028	420	0,712	0,819	0,664	0,839	0,381
Ferritic stainless steels	K09	1.4512	409	0,677	0,778	0,608	0,797	0,362
	K30	1.4016	430	0,814	0,936	0,739	0,960	0,435
	K30ED	1.4016	430	0,814	0,936	0,739	0,960	0,435
	K30L	1.4010	430	0,814	0,936	0,724	0,960	0,435
	K31	1.4017	431	0,929	1,068	0,826	1,094	0,496
	K36	1.4526	436	1,309	1,505	1,163	1,542	0,699
	K36X	1.4526	436	1,309	1,505	1,163	1,542	0,699
	K39M	1.4510	430Ti	0,843	0,969	0,737	0,993	0,450
	K41	1.4509	441	0,968	1,113	0,862	1,141	0,517
	K44	1.4521	444	1,323	1,522	1,159	1,560	0,707
K44X	1.4521	444	1,384	1,591	1,230	1,631	0,740	
Austenitic stainless steels containing Manganese	161Mn			1,138	1,308	1,012	1,341	0,608
	164Mn	1.4372	201	1,308	1,504	1,163	1,542	0,699
Austenitic stainless steels	177A	1.4310	301	1,480	1,701	1,307	1,744	0,791
	177C	1.4310	301	1,480	1,701	1,307	1,744	0,791
	177E	1.4310	301	1,610	1,851	1,380	1,898	0,861
	189D	1.4301	304	1,557	1,790	1,379	1,835	0,832
	189E	1.4301	304	1,557	1,790	1,379	1,835	0,832
	189DDQ	1.4301	304	1,557	1,790	1,379	1,835	0,832
	1810L	1.4306	304L	1,683	1,935	1,506	1,983	0,899
	189L	1.4307	304L	1,557	1,790	1,379	1,835	0,832
	189EL	1.4307	304L	1,557	1,790	1,379	1,835	0,832
	1812D	1.4303	305	1,893	2,176	1,668	2,230	1,012
1810T	1.4541	321	1,681	1,933	1,478	1,982	0,899	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,203	2,533	1,948	2,596	1,177
	1813MS	1.4435	316L	2,439	2,805	2,156	2,875	1,304
	1711MT	1.4571	316Ti	2,235	2,570	1,970	2,634	1,195
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,959	2,253	1,710	2,309	1,047
Duplex stainless steels	DX2205	1.4462		1,988	2,285	1,774	2,343	1,062



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on December 1st, 2017

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,717	0,834	0,665	0,838	0,380
	MA2H	1.4021	420	0,717	0,834	0,665	0,838	0,380
	MA3	1.4028	420	0,715	0,831	0,665	0,835	0,379
	MA3H	1.4028	420	0,715	0,831	0,665	0,835	0,379
Ferritic stainless steels	K09	1.4512	409	0,678	0,788	0,605	0,792	0,359
	K30	1.4016	430	0,818	0,951	0,739	0,956	0,434
	K30ED	1.4016	430	0,818	0,951	0,739	0,956	0,434
	K30L	1.4010	430	0,818	0,951	0,726	0,956	0,434
	K31	1.4017	431	0,950	1,104	0,843	1,110	0,503
	K36	1.4526	436	1,314	1,528	1,166	1,536	0,696
	K36X	1.4526	436	1,314	1,528	1,166	1,536	0,696
	K39M	1.4510	430Ti	0,845	0,983	0,736	0,988	0,448
	K41	1.4509	441	0,969	1,127	0,862	1,133	0,514
	K44	1.4521	444	1,330	1,546	1,160	1,554	0,705
K44X	1.4521	444	1,390	1,616	1,233	1,625	0,737	
Austenitic stainless steels containing Manganese	161Mn			1,158	1,347	1,028	1,354	0,614
	164Mn	1.4372	201	1,372	1,596	1,218	1,604	0,727
Austenitic stainless steels	177A	1.4310	301	1,548	1,800	1,369	1,810	0,821
	177C	1.4310	301	1,548	1,800	1,369	1,810	0,821
	177E	1.4310	301	1,669	1,941	1,437	1,951	0,885
	189D	1.4301	304	1,673	1,945	1,487	1,956	0,887
	189E	1.4301	304	1,673	1,945	1,487	1,956	0,887
	189DDQ	1.4301	304	1,673	1,945	1,487	1,956	0,887
	1810L	1.4306	304L	1,817	2,113	1,632	2,124	0,963
	189L	1.4307	304L	1,673	1,945	1,487	1,956	0,887
	189EL	1.4307	304L	1,673	1,945	1,487	1,956	0,887
	1812D	1.4303	305	2,058	2,393	1,823	2,405	1,091
1810T	1.4541	321	1,815	2,111	1,605	2,122	0,963	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,357	2,741	2,095	2,755	1,249
	1813MS	1.4435	316L	2,616	3,042	2,323	3,059	1,387
	1711MT	1.4571	316Ti	2,395	2,785	2,122	2,800	1,270
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,123	2,469	1,866	2,482	1,126
Duplex stainless steels	DX2205	1.4462		2,066	2,403	1,851	2,416	1,096