



Barème d'extra d'alliage/Alloys surcharge Tariff

Aciers Inoxydables de Precision/Precision Stainless Steel

Applicable au 1er Janvier 2014/Valid as of January 1st, 2014

Norme européenne	Nuance	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
	161MN		0,733	0,899	6,81	0,636	1,003	0,455
1.4372	164MN	201	0,932	1,143	8,659	0,809	1,276	0,579
1.4571	1711MT	316TI	1,757	2,154	16,324	1,525	2,405	1,091
1.4618	174MN	201.1	1,012	1,241	9,402	0,878	1,385	0,628
1.4310	177A	301	1,086	1,331	10,09	0,943	1,487	0,674
1.4310	177C	301	1,086	1,331	10,09	0,943	1,487	0,674
1.4310	177E	301	1,193	1,463	11,084	1,036	1,633	0,741
1.4306	1810L	304L	1,292	1,584	12,004	1,121	1,769	0,802
1.4541	1810T	321	1,291	1,583	11,995	1,121	1,767	0,801
1.4404	1811ML	316L	1,758	2,155	16,334	1,526	2,407	1,092
1.4303	1812D	305	1,522	1,866	14,141	1,321	2,084	0,945
1.4435	1813MS	316L	1,97	2,415	18,303	1,71	2,697	1,223
1.4301	189D	304	1,174	1,439	10,908	1,019	1,607	0,729
1.4301	189DDQ	304	1,174	1,439	10,908	1,019	1,607	0,729
1.4301	189E	304	1,174	1,439	10,908	1,019	1,607	0,729
1.4307	189EL	304L	1,174	1,439	10,908	1,019	1,607	0,729
1.4307	189L	304L	1,174	1,439	10,908	1,019	1,607	0,729
1.4462	DX2205		1,512	1,854	14,048	1,312	2,07	0,939
1.4010	F17L	430L	0,489	0,6	4,543	0,424	0,669	0,303
1.4526	F17MNB	436	0,924	1,133	8,585	0,802	1,265	0,574
1.4512	K09	409	0,41	0,503	3,809	0,356	0,561	0,254
1.4016	K30	430	0,489	0,6	4,543	0,424	0,669	0,303
1.4016	K30ED	430	0,489	0,6	4,543	0,424	0,669	0,303
1.4016	K30H	430	0,467	0,573	4,339	0,405	0,639	0,290
1.4017	K31		0,598	0,733	5,556	0,519	0,819	0,371
1.4526	K36	436	0,924	1,133	8,585	0,802	1,265	0,574
1.4510	K39M	430TI	0,498	0,611	4,627	0,432	0,682	0,309
1.4509	K41	441	0,648	0,794	6,021	0,562	0,887	0,402
1.4521	K44	444	0,919	1,127	8,538	0,798	1,258	0,571
	K44X		0,998	1,224	9,272	0,866	1,366	0,619
1.4006	MA1	410	0,423	0,519	3,93	0,367	0,579	0,263
1.4021	MA2	420	0,437	0,536	4,06	0,379	0,598	0,271
1.4028	MA3	420	0,437	0,536	4,06	0,379	0,598	0,271
1.4028	MA3H	420	0,437	0,536	4,06	0,379	0,598	0,271
1.4034	MA4		0,437	0,536	4,06	0,379	0,598	0,271
1.4828	R2012		1,502	1,841	13,955	1,304	2,056	0,932
1.4833	R2413S		1,607	1,97	14,931	1,395	2,2	0,998



Barème d'extra d'alliage/Alloys surcharge Tariff Aciers Inoxydables de Precision/Precision Stainless Steel

Applicable au 1er Fevrier 2014/Valid as of February 1st, 2014

Norme européenne	Nuance	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
	161MN		0,771	0,95	7,048	0,66	1,049	0,476
1.4372	164MN	201	0,978	1,205	8,94	0,837	1,331	0,604
1.4571	1711MT	316TI	1,845	2,273	16,865	1,579	2,511	1,139
1.4618	174MN	201.1	1,062	1,308	9,708	0,909	1,445	0,655
1.4310	177A	301	1,152	1,419	10,53	0,986	1,568	0,711
1.4310	177C	301	1,152	1,419	10,53	0,986	1,568	0,711
1.4310	177E	301	1,264	1,557	11,554	1,082	1,72	0,780
1.4306	1810L	304L	1,375	1,694	12,569	1,177	1,871	0,848
1.4541	1810T	321	1,374	1,693	12,56	1,176	1,87	0,848
1.4404	1811ML	316L	1,846	2,274	16,874	1,58	2,512	1,139
1.4303	1812D	305	1,593	1,963	14,562	1,364	2,168	0,983
1.4435	1813MS	316L	2,066	2,545	18,885	1,768	2,812	1,275
1.4301	189D	304	1,251	1,541	11,435	1,071	1,703	0,772
1.4301	189DDQ	304	1,251	1,541	11,435	1,071	1,703	0,772
1.4301	189E	304	1,251	1,541	11,435	1,071	1,703	0,772
1.4307	189EL	304L	1,251	1,541	11,435	1,071	1,703	0,772
1.4307	189L	304L	1,251	1,541	11,435	1,071	1,703	0,772
1.4462	DX2205		1,575	1,94	14,397	1,348	2,144	0,972
1.4010	F17L	430L	0,525	0,647	4,799	0,449	0,715	0,324
1.4526	F17MNB	436	0,968	1,193	8,848	0,829	1,317	0,597
1.4512	K09	409	0,439	0,541	4,013	0,376	0,597	0,271
1.4016	K30	430	0,525	0,647	4,799	0,449	0,715	0,324
1.4016	K30ED	430	0,525	0,647	4,799	0,449	0,715	0,324
1.4016	K30H	430	0,501	0,617	4,58	0,429	0,682	0,309
1.4017	K31		0,638	0,786	5,832	0,546	0,868	0,394
1.4526	K36	436	0,968	1,193	8,848	0,829	1,317	0,597
1.4510	K39M	430TI	0,534	0,658	4,881	0,457	0,727	0,330
1.4509	K41	441	0,683	0,841	6,243	0,585	0,93	0,422
1.4521	K44	444	0,964	1,188	8,812	0,825	1,312	0,595
	K44X		1,043	1,285	9,534	0,893	1,42	0,644
1.4006	MA1	410	0,454	0,559	4,15	0,389	0,618	0,280
1.4021	MA2	420	0,467	0,575	4,269	0,4	0,636	0,288
1.4028	MA3	420	0,467	0,575	4,269	0,4	0,636	0,288
1.4028	MA3H	420	0,467	0,575	4,269	0,4	0,636	0,288
1.4034	MA4		0,467	0,575	4,269	0,4	0,636	0,288
1.4828	R2012		1,598	1,969	14,607	1,368	2,175	0,986
1.4833	R2413S		1,695	2,088	15,494	1,451	2,307	1,046



Barème d'extra d'alliage/Alloys surcharge Tariff
Aciers Inoxydables de Precision/Precision Stainless Steel
Applicable au 1er Mars 2014/Valid as of /March 1st, 2014

Norme européenne	Nuance	AISI	€uro/KG	CHF/KG	SEK/KG	GBP/KG	USD/KG	USD/LBS
1.4021	MA2	420	0,470	0,575	4,303	0,402	0,642	0,291
	MA2H	420	0,470	0,575	4,303	0,402	0,642	0,291
1.4028	MA3	420	0,470	0,575	4,303	0,402	0,642	0,291
1.4028	MA3H	420	0,470	0,575	4,303	0,402	0,642	0,291
1.4512	K09	409	0,442	0,541	4,047	0,378	0,603	0,273
1.4016	K30	430	0,528	0,646	4,834	0,452	0,721	0,327
1.4016	K30ED	430	0,528	0,646	4,834	0,452	0,721	0,327
1.4010	K30L	430L	0,528	0,646	4,834	0,452	0,721	0,327
1.4017	K31	431	0,643	0,786	5,887	0,550	0,878	0,398
1.4526	K36		0,973	1,190	8,908	0,833	1,328	0,602
1.4510	K39M	430Ti	0,536	0,656	4,907	0,459	0,732	0,332
1.4509	K41	441	0,686	0,839	6,280	0,587	0,936	0,424
1.4521	K44	444	0,968	1,184	8,862	0,829	1,321	0,599
	K44X	444	1,047	1,280	9,585	0,896	1,429	0,648
	161MN		0,800	0,978	7,324	0,685	1,092	0,495
1.4372	164MN	201	0,989	1,210	9,054	0,847	1,350	0,612
1.4310	177A	301	1,164	1,424	10,656	0,996	1,589	0,721
1.4310	177C	301	1,164	1,424	10,656	0,996	1,589	0,721
1.4310	177E	301	1,275	1,559	11,673	1,091	1,740	0,789
1.4301	189D	304	1,263	1,545	11,563	1,081	1,724	0,782
1.4301	189DDQ	304	1,263	1,545	11,563	1,081	1,724	0,782
1.4301	189E	304	1,263	1,545	11,563	1,081	1,724	0,782
1.4306	1810L	304L	1,263	1,545	11,563	1,081	1,724	0,782
1.4306	1010EL		1,263					0,000
1.4307	189EL	304L	1,390	1,700	12,725	1,190	1,897	0,860
1.4307	189L	304L	1,390	1,700	12,725	1,190	1,897	0,860
1.4303	1812D	305	1,610	1,969	14,740	1,378	2,198	0,997
1.4541	1810T	321	1,388	1,698	12,707	1,188	1,895	0,859
1.4404	1811ML	316L	1,861	2,276	17,037	1,593	2,540	1,152
1.4435	1813MS	316L	2,084	2,549	19,079	1,784	2,845	1,290
1.4571	1711MT	316Ti	1,860	2,275	17,028	1,592	2,539	1,151
1.4828	R2012	309	1,615	1,975	14,785	1,382	2,204	1,000
1.4462	DX2205		1,597	1,953	14,621	1,367	2,180	



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on April 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,450	0,548	0,382	0,623	0,283
	MA2H	1.4021	420	0,450	0,548	0,382	0,623	0,283
	MA3	1.4028	420	0,450	0,548	0,382	0,623	0,283
	MA3H	1.4028	420	0,450	0,548	0,382	0,623	0,283
Ferritic stainless steels	K09	1.4512	409	0,422	0,514	0,358	0,584	0,265
	K30	1.4016	430	0,507	0,617	0,430	0,702	0,318
	K30ED	1.4016	430	0,507	0,617	0,430	0,702	0,318
	K30L	1.4010	430	0,507	0,617	0,430	0,702	0,318
	K31	1.4017	431	0,633	0,770	0,537	0,876	0,397
	K36	1.4526	436	0,946	1,151	0,803	1,309	0,594
	K39M	1.4510	430Ti	0,515	0,627	0,437	0,713	0,323
	K41	1.4509	441	0,665	0,809	0,565	0,920	0,417
	K44	1.4521	444	0,941	1,145	0,799	1,302	0,590
K44X	1.4521	444	1,021	1,243	0,867	1,413	0,641	
Austenitic stainless steels containing Manganese	161Mn			0,781	0,950	0,663	1,081	0,490
	164Mn	1.4372	201	1,011	1,230	0,858	1,399	0,634
Austenitic stainless steels	177A	1.4310	301	1,208	1,470	1,026	1,672	0,758
	177C	1.4310	301	1,208	1,470	1,026	1,672	0,758
	177E	1.4310	301	1,318	1,604	1,119	1,824	0,827
	189D	1.4301	304	1,315	1,600	1,116	1,820	0,825
	189E	1.4301	304	1,315	1,600	1,116	1,820	0,825
	189DDQ	1.4301	304	1,315	1,600	1,116	1,820	0,825
	1810L	1.4306	304L	1,454	1,770	1,234	2,012	0,912
	1810EL	1.4306		1,454	1,770	1,234	2,012	0,912
	189L	1.4307	304L	1,315	1,600	1,116	1,820	0,825
	189EL	1.4307	304L	1,315	1,600	1,116	1,820	0,825
	1812D	1.4303	305	1,695	2,063	1,439	2,346	1,064
1810T	1.4541	321	1,453	1,768	1,234	2,011	0,912	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	1,932	2,351	1,640	2,674	1,213
	1813MS	1.4435	316L	2,167	2,637	1,840	2,999	1,360
	1711MT	1.4571	316Ti	1,931	2,350	1,639	2,673	1,212
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,701	2,070	1,444	2,354	1,068
Duplex stainless steels	DX2205	1.4462		1,614	1,964	1,370	2,234	1,013



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on May 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,448	0,536	0,371	0,618	0,280
	MA2H	1.4021	420	0,448	0,536	0,371	0,618	0,280
	MA3	1.4028	420	0,448	0,536	0,371	0,618	0,280
	MA3H	1.4028	420	0,448	0,536	0,371	0,618	0,280
Ferritic stainless steels	K09	1.4512	409	0,418	0,500	0,346	0,577	0,262
	K30	1.4016	430	0,508	0,608	0,421	0,701	0,318
	K30ED	1.4016	430	0,508	0,608	0,421	0,701	0,318
	K30L	1.4010	430	0,508	0,608	0,421	0,701	0,318
	K31	1.4017	431	0,653	0,782	0,541	0,901	0,409
	K36	1.4526	436	0,991	1,186	0,821	1,368	0,620
	K39M	1.4510	430Ti	0,517	0,619	0,428	0,713	0,323
	K41	1.4509	441	0,663	0,794	0,549	0,915	0,415
	K44	1.4521	444	1,011	1,210	0,837	1,395	0,633
K44X	1.4521	444	1,085	1,299	0,898	1,497	0,679	
Austenitic stainless steels containing Manganese	161Mn			0,806	0,965	0,667	1,112	0,504
	164Mn	1.4372	201	1,082	1,295	0,896	1,493	0,677
Austenitic stainless steels	177A	1.4310	301	1,336	1,599	1,106	1,844	0,836
	177C	1.4310	301	1,336	1,599	1,106	1,844	0,836
	177E	1.4310	301	1,427	1,708	1,182	1,969	0,893
	189D	1.4301	304	1,438	1,721	1,191	1,984	0,900
	189E	1.4301	304	1,438	1,721	1,191	1,984	0,900
	189DDQ	1.4301	304	1,438	1,721	1,191	1,984	0,900
	1810L	1.4306	304L	1,592	1,906	1,318	2,197	0,996
	1810EL	1.4306		1,592	1,906	1,318	2,197	0,996
	189L	1.4307	304L	1,438	1,721	1,191	1,984	0,900
	189EL	1.4307	304L	1,438	1,721	1,191	1,984	0,900
	1812D	1.4303	305	1,856	2,222	1,537	2,561	1,161
1810T	1.4541	321	1,591	1,904	1,317	2,196	0,996	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,173	2,601	1,799	2,999	1,360
	1813MS	1.4435	316L	2,446	2,928	2,025	3,375	1,531
	1711MT	1.4571	316Ti	2,207	2,642	1,827	3,046	1,381
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,881	2,252	1,557	2,596	1,177
Duplex stainless steels	DX2205	1.4462		1,758	2,104	1,456	2,426	1,100



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on JUNE 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,459	0,560	0,387	0,633	0,287
	MA2H	1.4021	420	0,459	0,560	0,387	0,633	0,287
	MA3	1.4028	420	0,459	0,560	0,387	0,633	0,287
	MA3H	1.4028	420	0,459	0,560	0,387	0,633	0,287
Ferritic stainless steels	K09	1.4512	409	0,428	0,522	0,361	0,591	0,268
	K30	1.4016	430	0,518	0,632	0,437	0,715	0,324
	K30ED	1.4016	430	0,518	0,632	0,437	0,715	0,324
	K30L	1.4010	430	0,518	0,632	0,437	0,715	0,324
	K31	1.4017	431	0,695	0,848	0,586	0,959	0,435
	K36	1.4526	436	1,052	1,283	0,887	1,452	0,658
	K39M	1.4510	430Ti	0,528	0,644	0,445	0,729	0,331
	K41	1.4509	441	0,672	0,820	0,566	0,927	0,420
	K44	1.4521	444	1,096	1,337	0,924	1,512	0,686
K44X	1.4521	444	1,165	1,421	0,982	1,608	0,729	
Austenitic stainless steels containing Manganese	161Mn			0,860	1,049	0,725	1,187	0,538
	164Mn	1.4372	201	1,210	1,476	1,020	1,670	0,757
Austenitic stainless steels	177A	1.4310	301	1,503	1,834	1,267	2,074	0,941
	177C	1.4310	301	1,503	1,834	1,267	2,074	0,941
	177E	1.4310	301	1,663	2,029	1,402	2,295	1,041
	189D	1.4301	304	1,646	2,008	1,388	2,271	1,030
	189E	1.4301	304	1,646	2,008	1,388	2,271	1,030
	189DDQ	1.4301	304	1,646	2,008	1,388	2,271	1,030
	1810L	1.4306	304L	1,839	2,244	1,550	2,538	1,151
	1810EL	1.4306		1,839	2,244	1,550	2,538	1,151
	189L	1.4307	304L	1,646	2,008	1,388	2,271	1,030
	189EL	1.4307	304L	1,646	2,008	1,388	2,271	1,030
	1812D	1.4303	305	2,167	2,644	1,827	2,990	1,356
1810T	1.4541	321	1,837	2,241	1,549	2,535	1,150	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,530	3,087	2,133	3,491	1,583
	1813MS	1.4435	316L	2,863	3,493	2,414	3,951	1,792
	1711MT	1.4571	316Ti	2,529	3,085	2,132	3,490	1,583
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,174	2,652	1,833	3,000	1,361
Duplex stainless steels	DX2205	1.4462		2,071	2,527	1,746	2,858	1,296



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on JULY 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,461	0,562	0,391	0,626	0,284
	MA2H	1.4021	420	0,461	0,562	0,391	0,626	0,284
	MA3	1.4028	420	0,461	0,562	0,391	0,626	0,284
	MA3H	1.4028	420	0,461	0,562	0,391	0,626	0,284
Ferritic stainless steels	K09	1.4512	409	0,429	0,523	0,364	0,583	0,264
	K30	1.4016	430	0,523	0,638	0,444	0,710	0,322
	K30ED	1.4016	430	0,523	0,638	0,444	0,710	0,322
	K30L	1.4010	430	0,523	0,638	0,444	0,710	0,322
	K31	1.4017	431	0,699	0,852	0,593	0,949	0,430
	K36	1.4526	436	1,101	1,342	0,935	1,495	0,678
	K39M	1.4510	430Ti	0,533	0,650	0,453	0,724	0,328
	K41	1.4509	441	0,678	0,826	0,576	0,921	0,418
	K44	1.4521	444	1,164	1,419	0,988	1,581	0,717
K44X	1.4521	444	1,231	1,501	1,045	1,672	0,758	
Austenitic stainless steels containing Manganese	161Mn			0,860	1,064	0,741	1,186	0,538
	164Mn	1.4372	201	1,208	1,473	1,026	1,640	0,744
Austenitic stainless steels	177A	1.4310	301	1,502	1,831	1,275	2,040	0,925
	177C	1.4310	301	1,502	1,831	1,275	2,040	0,925
	177E	1.4310	301	1,684	2,053	1,430	2,287	1,037
	189D	1.4301	304	1,645	2,005	1,397	2,234	1,013
	189E	1.4301	304	1,645	2,005	1,397	2,234	1,013
	189DDQ	1.4301	304	1,645	2,005	1,397	2,234	1,013
	1810L	1.4306	304L	1,837	2,239	1,560	2,495	1,131
	1810EL	1.4306		1,837	2,239	1,560	2,495	1,131
	189L	1.4307	304L	1,645	2,005	1,397	2,234	1,013
	189EL	1.4307	304L	1,645	2,005	1,397	2,234	1,013
	1812D	1.4303	305	2,165	2,639	1,838	2,940	1,333
1810T	1.4541	321	1,836	2,238	1,559	2,493	1,131	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,597	3,166	2,205	3,527	1,599
	1813MS	1.4435	316L	2,945	3,590	2,500	3,999	1,814
	1711MT	1.4571	316Ti	2,595	3,163	2,203	3,524	1,598
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,172	2,648	1,844	2,950	1,338
Duplex stainless steels	DX2205	1.4462		2,176	2,653	1,847	2,955	1,340



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on AUGUST 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,456	0,555	0,381	0,622	0,282
	MA2H	1.4021	420	0,456	0,555	0,381	0,622	0,282
	MA3	1.4028	420	0,456	0,555	0,381	0,622	0,282
	MA3H	1.4028	420	0,456	0,555	0,381	0,622	0,282
Ferritic stainless steels	K09	1.4512	409	0,426	0,518	0,356	0,581	0,263
	K30	1.4016	430	0,519	0,632	0,433	0,707	0,321
	K30ED	1.4016	430	0,519	0,632	0,433	0,707	0,321
	K30L	1.4010	430	0,519	0,632	0,433	0,707	0,321
	K31	1.4017	431	0,697	0,848	0,582	0,950	0,431
	K36	1.4526	436	1,053	1,282	0,879	1,435	0,651
	K39M	1.4510	430Ti	0,528	0,643	0,441	0,720	0,327
	K41	1.4509	441	0,672	0,818	0,561	0,916	0,415
	K44	1.4521	444	1,096	1,334	0,915	1,494	0,677
K44X	1.4521	444	1,166	1,419	0,974	1,589	0,721	
Austenitic stainless steels containing Manganese	161Mn			0,865	1,053	0,722	1,179	0,535
	164Mn	1.4372	201	1,212	1,475	1,012	1,652	0,749
Austenitic stainless steels	177A	1.4310	301	1,510	1,838	1,261	2,058	0,933
	177C	1.4310	301	1,510	1,838	1,261	2,058	0,933
	177E	1.4310	301	1,670	2,032	1,394	2,276	1,032
	189D	1.4301	304	1,654	2,013	1,381	2,254	1,022
	189E	1.4301	304	1,654	2,013	1,381	2,254	1,022
	189DDQ	1.4301	304	1,654	2,013	1,381	2,254	1,022
	1810L	1.4306	304L	1,850	2,251	1,545	2,522	1,144
	1810EL	1.4306		1,850	2,251	1,545	2,522	1,144
	189L	1.4307	304L	1,654	2,013	1,381	2,254	1,022
	189EL	1.4307	304L	1,654	2,013	1,381	2,254	1,022
	1812D	1.4303	305	2,181	2,654	1,821	2,973	1,348
1810T	1.4541	321	1,848	2,249	1,543	2,519	1,142	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,541	3,092	2,122	3,463	1,570
	1813MS	1.4435	316L	2,877	3,501	2,402	3,921	1,778
	1711MT	1.4571	316Ti	2,540	3,091	2,121	3,462	1,570
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,187	2,662	1,826	2,981	1,352
Duplex stainless steels	DX2205	1.4462		2,077	2,528	1,734	2,831	1,284



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on SEPTEMBER 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,461	0,560	0,382	0,615	0,279
	MA2H	1.4021	420	0,461	0,560	0,382	0,615	0,279
	MA3	1.4028	420	0,461	0,560	0,382	0,615	0,279
	MA3H	1.4028	420	0,461	0,560	0,382	0,615	0,279
Ferritic stainless steels	K09	1.4512	409	0,429	0,521	0,356	0,572	0,259
	K30	1.4016	430	0,525	0,637	0,435	0,700	0,317
	K30ED	1.4016	430	0,525	0,637	0,435	0,700	0,317
	K30L	1.4010	430	0,525	0,637	0,435	0,700	0,317
	K31	1.4017	431	0,704	0,855	0,584	0,939	0,426
	K36	1.4526	436	1,063	1,290	0,881	1,418	0,643
	K39M	1.4510	430Ti	0,535	0,649	0,444	0,714	0,324
	K41	1.4509	441	0,679	0,824	0,563	0,906	0,411
	K44	1.4521	444	1,107	1,344	0,918	1,477	0,670
K44X	1.4521	444	1,177	1,429	0,976	1,570	0,712	
Austenitic stainless steels containing Manganese	161Mn			0,873	1,060	0,724	1,165	0,528
	164Mn	1.4372	201	1,217	1,477	1,009	1,623	0,736
Austenitic stainless steels	177A	1.4310	301	1,515	1,839	1,256	2,021	0,917
	177C	1.4310	301	1,515	1,839	1,256	2,021	0,917
	177E	1.4310	301	1,678	2,037	1,391	2,238	1,015
	189D	1.4301	304	1,660	2,015	1,376	2,214	1,004
	189E	1.4301	304	1,660	2,015	1,376	2,214	1,004
	189DDQ	1.4301	304	1,660	2,015	1,376	2,214	1,004
	1810L	1.4306	304L	1,854	2,251	1,537	2,473	1,122
	1810EL	1.4306		1,854	2,251	1,537	2,473	1,122
	189L	1.4307	304L	1,660	2,015	1,376	2,214	1,004
	189EL	1.4307	304L	1,660	2,015	1,376	2,214	1,004
	1812D	1.4303	305	2,186	2,654	1,812	2,916	1,322
1810T	1.4541	321	1,853	2,250	1,536	2,472	1,121	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,552	3,098	2,116	3,404	1,544
	1813MS	1.4435	316L	2,888	3,506	2,394	3,853	1,747
	1711MT	1.4571	316Ti	2,551	3,097	2,115	3,403	1,543
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,194	2,664	1,819	2,927	1,327
Duplex stainless steels	DX2205	1.4462		2,093	2,541	1,735	2,792	1,266



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on OCTOBER 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,478	0,577	0,399	0,619	0,281
	MA2H	1.4021	420	0,478	0,577	0,399	0,619	0,281
	MA3	1.4028	420	0,478	0,577	0,399	0,619	0,281
	MA3H	1.4028	420	0,478	0,577	0,399	0,619	0,281
Ferritic stainless steels	K09	1.4512	409	0,445	0,538	0,372	0,577	0,262
	K30	1.4016	430	0,545	0,658	0,455	0,706	0,320
	K30ED	1.4016	430	0,545	0,658	0,455	0,706	0,320
	K30L	1.4010	430	0,545	0,658	0,455	0,706	0,320
	K31	1.4017	431	0,728	0,879	0,608	0,943	0,428
	K36	1.4526	436	1,081	1,306	0,903	1,401	0,635
	K39M	1.4510	430Ti	0,556	0,672	0,464	0,721	0,327
	K41	1.4509	441	0,699	0,844	0,584	0,906	0,411
	K44	1.4521	444	1,122	1,355	0,937	1,454	0,659
K44X	1.4521	444	1,192	1,440	0,995	1,545	0,701	
Austenitic stainless steels containing Manganese	161Mn			0,897	1,084	0,749	1,163	0,527
	164Mn	1.4372	201	1,256	1,517	1,049	1,628	0,738
Austenitic stainless steels	177A	1.4310	301	1,563	1,888	1,305	2,026	0,919
	177C	1.4310	301	1,563	1,888	1,305	2,026	0,919
	177E	1.4310	301	1,723	2,081	1,439	2,233	1,013
	189D	1.4301	304	1,713	2,069	1,430	2,220	1,007
	189E	1.4301	304	1,713	2,069	1,430	2,220	1,007
	189DDQ	1.4301	304	1,713	2,069	1,430	2,220	1,007
	1810L	1.4306	304L	1,912	2,310	1,597	2,478	1,124
	1810EL	1.4306		1,912	2,310	1,597	2,478	1,124
	189L	1.4307	304L	1,713	2,069	1,430	2,220	1,007
	189EL	1.4307	304L	1,713	2,069	1,430	2,220	1,007
	1812D	1.4303	305	2,253	2,722	1,881	2,920	1,324
1810T	1.4541	321	1,912	2,310	1,597	2,478	1,124	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,608	3,150	2,178	3,380	1,533
	1813MS	1.4435	316L	2,948	3,561	2,462	3,821	1,733
	1711MT	1.4571	316Ti	2,606	3,148	2,176	3,377	1,531
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,262	2,732	1,889	2,932	1,330
Duplex stainless steels	DX2205	1.4462		2,125	2,567	1,774	2,754	1,249



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on NOVEMBER 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,476	0,575	0,396	0,614	0,278
	MA2H	1.4021	420	0,476	0,575	0,396	0,614	0,278
	MA3	1.4028	420	0,476	0,575	0,396	0,614	0,278
	MA3H	1.4028	420	0,476	0,575	0,396	0,614	0,278
Ferritic stainless steels	K09	1.4512	409	0,443	0,535	0,368	0,571	0,259
	K30	1.4016	430	0,541	0,654	0,450	0,698	0,317
	K30ED	1.4016	430	0,541	0,654	0,450	0,698	0,317
	K30L	1.4010	430	0,541	0,654	0,450	0,698	0,317
	K31	1.4017	431	0,700	0,846	0,582	0,903	0,410
	K36	1.4526	436	1,031	1,245	0,857	1,330	0,603
	K39M	1.4510	430Ti	0,552	0,667	0,459	0,712	0,323
	K41	1.4509	441	0,701	0,847	0,583	0,904	0,410
	K44	1.4521	444	1,046	1,264	0,869	1,349	0,612
K44X	1.4521	444	1,122	1,355	0,932	1,447	0,656	
Austenitic stainless steels containing Manganese	161Mn			0,858	1,036	0,713	1,107	0,502
	164Mn	1.4372	201	1,158	1,399	0,962	1,494	0,678
Austenitic stainless steels	177A	1.4310	301	1,420	1,715	1,180	1,832	0,831
	177C	1.4310	301	1,420	1,715	1,180	1,832	0,831
	177E	1.4310	301	1,553	1,876	1,291	2,003	0,908
	189D	1.4301	304	1,552	1,875	1,290	2,002	0,908
	189E	1.4301	304	1,552	1,875	1,290	2,002	0,908
	189DDQ	1.4301	304	1,552	1,875	1,290	2,002	0,908
	1810L	1.4306	304L	1,725	2,084	1,433	2,225	1,009
	1810EL	1.4306		1,725	2,084	1,433	2,225	1,009
	189L	1.4307	304L	1,552	1,875	1,290	2,002	0,908
	189EL	1.4307	304L	1,552	1,875	1,290	2,002	0,908
	1812D	1.4303	305	2,022	2,443	1,680	2,608	1,183
1810T	1.4541	321	1,724	2,083	1,433	2,224	1,009	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,309	2,789	1,919	2,979	1,351
	1813MS	1.4435	316L	2,599	3,140	2,160	3,353	1,521
	1711MT	1.4571	316Ti	2,307	2,787	1,917	2,976	1,350
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,030	2,452	1,687	2,619	1,188
Duplex stainless steels	DX2205	1.4462		1,894	2,288	1,574	2,443	1,108



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on DECEMBER 1st, 2014

Aperam Stainless Precision Grades	EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS	
Martensitic stainless steels	MA2	1.4021	420	0,470	0,565	0,391	0,586	0,266
	MA2H	1.4021	420	0,470	0,565	0,391	0,586	0,266
	MA3	1.4028	420	0,470	0,565	0,391	0,586	0,266
	MA3H	1.4028	420	0,470	0,565	0,391	0,586	0,266
Ferritic stainless steels	K09	1.4512	409	0,435	0,523	0,361	0,542	0,246
	K30	1.4016	430	0,538	0,647	0,447	0,671	0,304
	K30ED	1.4016	430	0,538	0,647	0,447	0,671	0,304
	K30L	1.4010	430	0,538	0,647	0,447	0,671	0,304
	K31	1.4017	431	0,686	0,825	0,570	0,855	0,388
	K36	1.4526	436	1,011	1,216	0,840	1,261	0,572
	K39M	1.4510	430Ti	0,547	0,658	0,455	0,682	0,309
	K41	1.4509	441	0,701	0,843	0,583	0,874	0,396
	K44	1.4521	444	1,015	1,221	0,843	1,266	0,574
K44X	1.4521	444	1,096	1,318	0,911	1,367	0,620	
Austenitic stainless steels containing Manganese	161Mn			0,844	1,015	0,701	1,052	0,477
	164Mn	1.4372	201	1,121	1,349	0,932	1,398	0,634
Austenitic stainless steels	177A	1.4310	301	1,363	1,640	1,133	1,700	0,771
	177C	1.4310	301	1,363	1,640	1,133	1,700	0,771
	177E	1.4310	301	1,485	1,786	1,234	1,852	0,840
	189D	1.4301	304	1,488	1,790	1,237	1,856	0,842
	189E	1.4301	304	1,488	1,790	1,237	1,856	0,842
	189DDQ	1.4301	304	1,488	1,790	1,237	1,856	0,842
	1810L	1.4306	304L	1,652	1,987	1,373	2,060	0,934
	1810EL	1.4306		1,652	1,987	1,373	2,060	0,934
	189L	1.4307	304L	1,488	1,790	1,237	1,856	0,842
	189EL	1.4307	304L	1,488	1,790	1,237	1,856	0,842
	1812D	1.4303	305	1,933	2,325	1,606	2,410	1,093
1810T	1.4541	321	1,651	1,986	1,372	2,059	0,934	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,192	2,637	1,822	2,733	1,239
	1813MS	1.4435	316L	2,465	2,965	2,048	3,074	1,394
	1711MT	1.4571	316Ti	2,192	2,637	1,822	2,733	1,239
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	1,941	2,335	1,613	2,420	1,097
Duplex stainless steels	DX2205	1.4462		1,806	2,173	1,501	2,252	1,021