



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on January 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,750	0,876	0,664	0,888	0,403
	MA2H	1.4021	420	0,750	0,876	0,664	0,888	0,403
	MA3	1.4028	420	0,747	0,872	0,664	0,883	0,401
	MA3H	1.4028	420	0,747	0,872	0,664	0,883	0,401
Ferritic stainless steels	K09	1.4512	409	0,715	0,834	0,605	0,845	0,383
	K30	1.4016	430	0,846	0,988	0,736	1,001	0,454
	K30ED	1.4016	430	0,846	0,988	0,736	1,001	0,454
	K30L	1.4010	430	0,846	0,988	0,748	1,001	0,454
	K31	1.4017	431	0,962	1,123	0,850	1,138	0,516
	K36	1.4526	436	1,370	1,600	1,211	1,621	0,735
	K36X	1.4526	436	1,370	1,600	1,211	1,621	0,735
	K39M	1.4510	430Ti	0,876	1,023	0,732	1,036	0,470
	K41	1.4509	441	1,004	1,172	0,857	1,187	0,538
	K44	1.4521	444	1,396	1,630	1,175	1,652	0,749
	K44X	1.4521	444	1,454	1,698	1,285	1,720	0,780
Austenitic stainless steels containing Manganese	161Mn			1,171	1,368	1,035	1,386	0,628
	164Mn	1.4372	201	1,339	1,563	1,183	1,584	0,718
Austenitic stainless steels	177A	1.4310	301	1,524	1,779	1,328	1,803	0,818
	177C	1.4310	301	1,524	1,779	1,328	1,803	0,818
	177E	1.4310	301	1,672	1,952	1,408	1,977	0,897
	189D	1.4301	304	1,600	1,869	1,403	1,893	0,859
	189E	1.4301	304	1,600	1,869	1,403	1,893	0,859
	189DDQ	1.4301	304	1,600	1,869	1,403	1,893	0,859
	1810L	1.4306	304L	1,727	2,016	1,535	2,043	0,926
	189L	1.4307	304L	1,600	1,869	1,403	1,893	0,859
	189EL	1.4307	304L	1,600	1,869	1,403	1,893	0,859
	1812D	1.4303	305	1,940	2,266	1,705	2,295	1,041
	1810T	1.4541	321	1,726	2,015	1,508	2,041	0,926
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,293	2,677	2,005	2,712	1,230
	1813MS	1.4435	316L	2,541	2,967	2,223	3,006	1,363
	1711MT	1.4571	316Ti	2,326	2,716	2,028	2,752	1,248
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,011	2,348	1,745	2,379	1,079
Duplex stainless steels	DX2205	1.4462		2,080	2,429	1,824	2,461	1,116



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on February 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,711	0,835	0,636	0,859	0,390
	MA2H	1.4021	420	0,711	0,835	0,636	0,859	0,390
	MA3	1.4028	420	0,706	0,829	0,636	0,853	0,387
	MA3H	1.4028	420	0,706	0,829	0,636	0,853	0,387
Ferritic stainless steels	K09	1.4512	409	0,691	0,812	0,581	0,835	0,379
	K30	1.4016	430	0,787	0,925	0,692	0,951	0,431
	K30ED	1.4016	430	0,787	0,925	0,692	0,951	0,431
	K30L	1.4010	430	0,787	0,925	0,698	0,951	0,431
	K31	1.4017	431	0,915	1,075	0,812	1,106	0,501
	K36	1.4526	436	1,389	1,631	1,231	1,678	0,761
	K36X	1.4526	436	1,389	1,631	1,231	1,678	0,761
	K39M	1.4510	430Ti	0,820	0,964	0,689	0,991	0,450
	K41	1.4509	441	0,985	1,158	0,814	1,191	0,540
	K44	1.4521	444	1,433	1,684	1,200	1,732	0,785
	K44X	1.4521	444	1,502	1,764	1,332	1,815	0,823
Austenitic stainless steels containing Manganese	161Mn			1,142	1,341	1,012	1,380	0,626
	164Mn	1.4372	201	1,325	1,556	1,175	1,601	0,726
Austenitic stainless steels	177A	1.4310	301	1,542	1,812	1,354	1,864	0,845
	177C	1.4310	301	1,542	1,812	1,354	1,864	0,845
	177E	1.4310	301	1,724	2,026	1,459	2,084	0,945
	189D	1.4301	304	1,616	1,899	1,435	1,953	0,886
	189E	1.4301	304	1,616	1,899	1,435	1,953	0,886
	189DDQ	1.4301	304	1,616	1,899	1,435	1,953	0,886
	1810L	1.4306	304L	1,752	2,058	1,577	2,117	0,960
	189L	1.4307	304L	1,616	1,899	1,435	1,953	0,886
	189EL	1.4307	304L	1,616	1,899	1,435	1,953	0,886
	1812D	1.4303	305	1,985	2,332	1,768	2,398	1,088
	1810T	1.4541	321	1,752	2,058	1,553	2,117	0,960
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,414	2,837	2,139	2,918	1,323
	1813MS	1.4435	316L	2,695	3,166	2,387	3,257	1,477
	1711MT	1.4571	316Ti	2,450	2,879	2,165	2,961	1,343
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,060	2,420	1,809	2,490	1,129
Duplex stainless steels	DX2205	1.4462		2,157	2,535	1,918	2,607	1,182



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on March 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,689	0,798	0,619	0,852	0,386
	MA2H	1.4021	420	0,689	0,798	0,619	0,852	0,386
	MA3	1.4028	420	0,684	0,792	0,619	0,846	0,384
	MA3H	1.4028	420	0,684	0,792	0,619	0,846	0,384
Ferritic stainless steels	K09	1.4512	409	0,669	0,775	0,563	0,828	0,375
	K30	1.4016	430	0,765	0,886	0,673	0,946	0,429
	K30ED	1.4016	430	0,765	0,886	0,673	0,946	0,429
	K30L	1.4010	430	0,765	0,886	0,675	0,946	0,429
	K31	1.4017	431	0,903	1,046	0,796	1,117	0,506
	K36	1.4526	436	1,358	1,573	1,198	1,680	0,762
	K36X	1.4526	436	1,358	1,573	1,198	1,680	0,762
	K39M	1.4510	430Ti	0,800	0,926	0,670	0,989	0,449
	K41	1.4509	441	0,923	1,068	0,795	1,141	0,518
	K44	1.4521	444	1,439	1,667	1,235	1,780	0,807
	K44X	1.4521	444	1,482	1,716	1,307	1,834	0,831
Austenitic stainless steels containing Manganese	161Mn			1,134	1,313	1,000	1,403	0,636
	164Mn	1.4372	201	1,341	1,554	1,183	1,659	0,753
Austenitic stainless steels	177A	1.4310	301	1,581	1,830	1,381	1,955	0,887
	177C	1.4310	301	1,581	1,830	1,381	1,955	0,887
	177E	1.4310	301	1,780	2,061	1,503	2,202	0,998
	189D	1.4301	304	1,659	1,922	1,467	2,053	0,931
	189E	1.4301	304	1,659	1,922	1,467	2,053	0,931
	189DDQ	1.4301	304	1,659	1,922	1,467	2,053	0,931
	1810L	1.4306	304L	1,806	2,091	1,616	2,234	1,013
	189L	1.4307	304L	1,659	1,922	1,467	2,053	0,931
	189EL	1.4307	304L	1,659	1,922	1,467	2,053	0,931
	1812D	1.4303	305	2,055	2,380	1,821	2,542	1,153
	1810T	1.4541	321	1,806	2,091	1,594	2,234	1,013
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,539	2,940	2,247	3,141	1,424
	1813MS	1.4435	316L	2,845	3,295	2,519	3,519	1,596
	1711MT	1.4571	316Ti	2,578	2,986	2,276	3,189	1,446
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,133	2,470	1,865	2,638	1,197
Duplex stainless steels	DX2205	1.4462		2,261	2,618	2,011	2,797	1,268



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on April 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,724	0,843	0,667	0,892	0,405
	MA2H	1.4021	420	0,724	0,843	0,667	0,892	0,405
	MA3	1.4028	420	0,720	0,837	0,667	0,886	0,402
	MA3H	1.4028	420	0,720	0,837	0,667	0,886	0,402
Ferritic stainless steels	K09	1.4512	409	0,704	0,819	0,611	0,867	0,393
	K30	1.4016	430	0,804	0,936	0,722	0,991	0,449
	K30ED	1.4016	430	0,804	0,936	0,722	0,991	0,449
	K30L	1.4010	430	0,804	0,936	0,712	0,991	0,449
	K31	1.4017	431	0,943	1,098	0,834	1,162	0,527
	K36	1.4526	436	1,418	1,650	1,254	1,747	0,792
	K36X	1.4526	436	1,418	1,650	1,254	1,747	0,792
	K39M	1.4510	430Ti	0,839	0,976	0,721	1,033	0,469
	K41	1.4509	441	0,967	1,125	0,846	1,191	0,540
	K44	1.4521	444	1,499	1,744	1,303	1,847	0,838
K44X	1.4521	444	1,545	1,797	1,366	1,903	0,863	
Austenitic stainless steels containing Manganese	161Mn			1,174	1,366	1,038	1,446	0,656
	164Mn	1.4372	201	1,386	1,613	1,226	1,707	0,774
Austenitic stainless steels	177A	1.4310	301	1,630	1,896	1,445	2,007	0,910
	177C	1.4310	301	1,630	1,896	1,445	2,007	0,910
	177E	1.4310	301	1,834	2,134	1,572	2,259	1,024
	189D	1.4301	304	1,710	1,989	1,534	2,106	0,955
	189E	1.4301	304	1,710	1,989	1,534	2,106	0,955
	189DDQ	1.4301	304	1,710	1,989	1,534	2,106	0,955
	1810L	1.4306	304L	1,859	2,162	1,686	2,289	1,038
	189L	1.4307	304L	1,710	1,989	1,534	2,106	0,955
	189EL	1.4307	304L	1,710	1,989	1,534	2,106	0,955
	1812D	1.4303	305	2,112	2,457	1,895	2,601	1,180
1810T	1.4541	321	1,857	2,161	1,663	2,288	1,037	
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,613	3,039	2,337	3,218	1,459
	1813MS	1.4435	316L	2,926	3,404	2,617	3,604	1,635
	1711MT	1.4571	316Ti	2,652	3,085	2,365	3,266	1,481
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,191	2,549	1,937	2,698	1,224
Duplex stainless steels	DX2205	1.4462		2,338	2,720	2,100	2,880	1,306



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on May 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,761	0,901	0,674	0,939	0,426
	MA2H	1.4021	420	0,761	0,901	0,674	0,939	0,426
	MA3	1.4028	420	0,756	0,895	0,674	0,933	0,423
	MA3H	1.4028	420	0,756	0,895	0,674	0,933	0,423
Ferritic stainless steels	K09	1.4512	409	0,733	0,867	0,616	0,904	0,410
	K30	1.4016	430	0,854	1,010	0,736	1,053	0,478
	K30ED	1.4016	430	0,854	1,010	0,736	1,053	0,478
	K30L	1.4010	430	0,854	1,010	0,744	1,053	0,478
	K31	1.4017	431	0,994	1,176	0,867	1,226	0,556
	K36	1.4526	436	1,456	1,723	1,270	1,797	0,815
	K36X	1.4526	436	1,456	1,723	1,270	1,797	0,815
	K39M	1.4510	430Ti	0,888	1,051	0,733	1,096	0,497
	K41	1.4509	441	1,014	1,199	0,857	1,250	0,567
	K44	1.4521	444	1,526	1,806	1,288	1,883	0,854
	K44X	1.4521	444	1,574	1,863	1,373	1,943	0,881
Austenitic stainless steels containing Manganese	161Mn			1,215	1,437	1,059	1,499	0,680
	164Mn	1.4372	201	1,437	1,701	1,253	1,774	0,804
Austenitic stainless steels	177A	1.4310	301	1,680	1,988	1,445	2,073	0,940
	177C	1.4310	301	1,680	1,988	1,445	2,073	0,940
	177E	1.4310	301	1,872	2,215	1,563	2,310	1,047
	189D	1.4301	304	1,764	2,087	1,533	2,176	0,987
	189E	1.4301	304	1,764	2,087	1,533	2,176	0,987
	189DDQ	1.4301	304	1,764	2,087	1,533	2,176	0,987
	1810L	1.4306	304L	1,915	2,266	1,684	2,363	1,072
	189L	1.4307	304L	1,764	2,087	1,533	2,176	0,987
	189EL	1.4307	304L	1,764	2,087	1,533	2,176	0,987
	1812D	1.4303	305	2,171	2,569	1,889	2,679	1,215
	1810T	1.4541	321	1,914	2,265	1,659	2,361	1,071
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,641	3,125	2,303	3,258	1,478
	1813MS	1.4435	316L	2,950	3,490	2,573	3,639	1,650
	1711MT	1.4571	316Ti	2,680	3,171	2,331	3,307	1,500
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,250	2,662	1,932	2,776	1,259
Duplex stainless steels	DX2205	1.4462		2,367	2,800	2,070	2,920	1,324



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on June 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,793	0,945	0,704	0,950	0,431
	MA2H	1.4021	420	0,793	0,945	0,704	0,950	0,431
	MA3	1.4028	420	0,790	0,941	0,704	0,945	0,429
	MA3H	1.4028	420	0,790	0,941	0,704	0,945	0,429
Ferritic stainless steels	K09	1.4512	409	0,756	0,901	0,645	0,905	0,411
	K30	1.4016	430	0,897	1,068	0,774	1,073	0,487
	K30ED	1.4016	430	0,897	1,068	0,774	1,073	0,487
	K30L	1.4010	430	0,897	1,068	0,787	1,073	0,487
	K31	1.4017	431	1,049	1,250	0,921	1,256	0,570
	K36	1.4526	436	1,528	1,820	1,340	1,828	0,829
	K36X	1.4526	436	1,528	1,820	1,340	1,828	0,829
	K39M	1.4510	430Ti	0,930	1,108	0,775	1,113	0,505
	K41	1.4509	441	1,069	1,273	0,899	1,279	0,580
	K44	1.4521	444	1,588	1,892	1,337	1,901	0,862
	K44X	1.4521	444	1,646	1,961	1,444	1,970	0,893
Austenitic stainless steels containing Manganese	161Mn			1,272	1,516	1,116	1,523	0,691
	164Mn	1.4372	201	1,526	1,818	1,339	1,826	0,828
Austenitic stainless steels	177A	1.4310	301	1,795	2,138	1,552	2,148	0,974
	177C	1.4310	301	1,795	2,138	1,552	2,148	0,974
	177E	1.4310	301	1,980	2,359	1,669	2,370	1,075
	189D	1.4301	304	1,888	2,249	1,648	2,260	1,025
	189E	1.4301	304	1,888	2,249	1,648	2,260	1,025
	189DDQ	1.4301	304	1,888	2,249	1,648	2,260	1,025
	1810L	1.4306	304L	2,054	2,447	1,814	2,459	1,115
	189L	1.4307	304L	1,888	2,249	1,648	2,260	1,025
	189EL	1.4307	304L	1,888	2,249	1,648	2,260	1,025
	1812D	1.4303	305	2,332	2,778	2,039	2,792	1,266
	1810T	1.4541	321	2,054	2,447	1,788	2,459	1,115
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,799	3,335	2,456	3,351	1,520
	1813MS	1.4435	316L	3,125	3,723	2,745	3,741	1,696
	1711MT	1.4571	316Ti	2,843	3,386	2,487	3,402	1,543
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,412	2,873	2,085	2,887	1,309
Duplex stainless steels	DX2205	1.4462		2,485	2,960	2,183	2,974	1,349



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on July 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,802	0,928	0,718	0,937	0,425
	MA2H	1.4021	420	0,802	0,928	0,718	0,937	0,425
	MA3	1.4028	420	0,798	0,923	0,718	0,933	0,423
	MA3H	1.4028	420	0,798	0,923	0,718	0,933	0,423
Ferritic stainless steels	K09	1.4512	409	0,761	0,881	0,658	0,889	0,403
	K30	1.4016	430	0,909	1,051	0,792	1,062	0,482
	K30ED	1.4016	430	0,909	1,051	0,792	1,062	0,482
	K30L	1.4010	430	0,909	1,051	0,797	1,062	0,482
	K31	1.4017	431	1,081	1,250	0,948	1,263	0,573
	K36	1.4526	436	1,533	1,773	1,344	1,790	0,812
	K36X	1.4526	436	1,533	1,773	1,344	1,790	0,812
	K39M	1.4510	430Ti	0,941	1,088	0,793	1,099	0,499
	K41	1.4509	441	1,080	1,249	0,918	1,262	0,572
	K44	1.4521	444	1,587	1,835	1,343	1,854	0,841
	K44X	1.4521	444	1,647	1,905	1,444	1,924	0,873
Austenitic stainless steels containing Manganese	161Mn			1,300	1,504	1,140	1,519	0,689
	164Mn	1.4372	201	1,606	1,858	1,409	1,877	0,851
Austenitic stainless steels	177A	1.4310	301	1,924	2,225	1,668	2,247	1,019
	177C	1.4310	301	1,924	2,225	1,668	2,247	1,019
	177E	1.4310	301	2,096	2,424	1,777	2,449	1,110
	189D	1.4301	304	2,027	2,344	1,776	2,368	1,074
	189E	1.4301	304	2,027	2,344	1,776	2,368	1,074
	189DDQ	1.4301	304	2,027	2,344	1,776	2,368	1,074
	1810L	1.4306	304L	2,215	2,562	1,962	2,588	1,174
	189L	1.4307	304L	2,027	2,344	1,776	2,368	1,074
	189EL	1.4307	304L	2,027	2,344	1,776	2,368	1,074
	1812D	1.4303	305	2,528	2,923	2,214	2,953	1,339
	1810T	1.4541	321	2,214	2,561	1,934	2,586	1,173
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,964	3,428	2,606	3,463	1,570
	1813MS	1.4435	316L	3,311	3,830	2,913	3,868	1,754
	1711MT	1.4571	316Ti	3,012	3,484	2,641	3,519	1,596
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,605	3,013	2,261	3,043	1,380
Duplex stainless steels	DX2205	1.4462		2,560	2,960	2,255	2,990	1,356



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on August 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,792	0,920	0,726	0,925	0,419
	MA2H	1.4021	420	0,792	0,920	0,726	0,925	0,419
	MA3	1.4028	420	0,788	0,915	0,726	0,920	0,417
	MA3H	1.4028	420	0,788	0,915	0,726	0,920	0,417
Ferritic stainless steels	K09	1.4512	409	0,753	0,874	0,665	0,879	0,398
	K30	1.4016	430	0,897	1,041	0,798	1,047	0,475
	K30ED	1.4016	430	0,897	1,041	0,798	1,047	0,475
	K30L	1.4010	430	0,897	1,041	0,794	1,047	0,475
	K31	1.4017	431	1,054	1,224	0,933	1,230	0,558
	K36	1.4526	436	1,506	1,748	1,333	1,757	0,797
	K36X	1.4526	436	1,506	1,748	1,333	1,757	0,797
	K39M	1.4510	430Ti	0,927	1,077	0,800	1,082	0,491
	K41	1.4509	441	1,066	1,238	0,925	1,245	0,564
	K44	1.4521	444	1,556	1,806	1,332	1,816	0,824
	K44X	1.4521	444	1,616	1,876	1,431	1,886	0,856
Austenitic stainless steels containing Manganese	161Mn			1,258	1,461	1,114	1,469	0,666
	164Mn	1.4372	201	1,536	1,783	1,360	1,793	0,813
Austenitic stainless steels	177A	1.4310	301	1,820	2,113	1,619	2,125	0,964
	177C	1.4310	301	1,820	2,113	1,619	2,125	0,964
	177E	1.4310	301	1,990	2,311	1,724	2,323	1,053
	189D	1.4301	304	1,918	2,226	1,721	2,238	1,015
	189E	1.4301	304	1,918	2,226	1,721	2,238	1,015
	189DDQ	1.4301	304	1,918	2,226	1,721	2,238	1,015
	1810L	1.4306	304L	2,089	2,425	1,895	2,438	1,106
	189L	1.4307	304L	1,918	2,226	1,721	2,238	1,015
	189EL	1.4307	304L	1,918	2,226	1,721	2,238	1,015
	1812D	1.4303	305	2,375	2,757	2,133	2,772	1,257
	1810T	1.4541	321	2,089	2,425	1,868	2,438	1,106
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,804	3,256	2,512	3,273	1,484
	1813MS	1.4435	316L	3,128	3,631	2,803	3,651	1,656
	1711MT	1.4571	316Ti	2,849	3,307	2,545	3,325	1,508
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,451	2,846	2,178	2,861	1,298
Duplex stainless steels	DX2205	1.4462		2,455	2,850	2,194	2,866	1,300



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on September 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,784	0,900	0,718	0,906	0,411
	MA2H	1.4021	420	0,784	0,900	0,718	0,906	0,411
	MA3	1.4028	420	0,781	0,897	0,718	0,903	0,410
	MA3H	1.4028	420	0,781	0,897	0,718	0,903	0,410
Ferritic stainless steels	K09	1.4512	409	0,743	0,853	0,658	0,859	0,390
	K30	1.4016	430	0,889	1,021	0,792	1,028	0,466
	K30ED	1.4016	430	0,889	1,021	0,792	1,028	0,466
	K30L	1.4010	430	0,889	1,021	0,795	1,028	0,466
	K31	1.4017	431	1,041	1,195	0,930	1,203	0,546
	K36	1.4526	436	1,536	1,764	1,373	1,777	0,806
	K36X	1.4526	436	1,536	1,764	1,373	1,777	0,806
	K39M	1.4510	430Ti	0,920	1,056	0,797	1,064	0,483
	K41	1.4509	441	1,058	1,215	0,932	1,223	0,555
	K44	1.4521	444	1,603	1,840	1,389	1,853	0,841
	K44X	1.4521	444	1,662	1,908	1,485	1,922	0,872
Austenitic stainless steels containing Manganese	161Mn			1,249	1,434	1,116	1,445	0,655
	164Mn	1.4372	201	1,504	1,727	1,344	1,739	0,789
Austenitic stainless steels	177A	1.4310	301	1,775	2,038	1,576	2,053	0,931
	177C	1.4310	301	1,775	2,038	1,576	2,053	0,931
	177E	1.4310	301	1,963	2,254	1,700	2,270	1,030
	189D	1.4301	304	1,868	2,145	1,673	2,161	0,980
	189E	1.4301	304	1,868	2,145	1,673	2,161	0,980
	189DDQ	1.4301	304	1,868	2,145	1,673	2,161	0,980
	1810L	1.4306	304L	2,033	2,335	1,841	2,351	1,066
	189L	1.4307	304L	1,868	2,145	1,673	2,161	0,980
	189EL	1.4307	304L	1,868	2,145	1,673	2,161	0,980
	1812D	1.4303	305	2,308	2,651	2,066	2,669	1,211
	1810T	1.4541	321	2,033	2,335	1,813	2,351	1,066
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,803	3,219	2,510	3,242	1,470
	1813MS	1.4435	316L	3,133	3,597	2,807	3,623	1,643
	1711MT	1.4571	316Ti	2,846	3,268	2,541	3,292	1,493
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,383	2,736	2,112	2,755	1,250
Duplex stainless steels	DX2205	1.4462		2,507	2,878	2,250	2,899	1,315



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on October 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,768	0,867	0,702	0,894	0,405
	MA2H	1.4021	420	0,768	0,867	0,702	0,894	0,405
	MA3	1.4028	420	0,764	0,863	0,702	0,889	0,403
	MA3H	1.4028	420	0,764	0,863	0,702	0,889	0,403
Ferritic stainless steels	K09	1.4512	409	0,726	0,820	0,642	0,845	0,383
	K30	1.4016	430	0,872	0,986	0,776	1,015	0,460
	K30ED	1.4016	430	0,872	0,986	0,776	1,015	0,460
	K30L	1.4010	430	0,872	0,986	0,781	1,015	0,460
	K31	1.4017	431	1,010	1,141	0,905	1,176	0,533
	K36	1.4526	436	1,513	1,710	1,355	1,761	0,799
	K36X	1.4526	436	1,513	1,710	1,355	1,761	0,799
	K39M	1.4510	430Ti	0,902	1,019	0,780	1,050	0,476
	K41	1.4509	441	1,039	1,175	0,927	1,210	0,549
	K44	1.4521	444	1,578	1,783	1,379	1,837	0,833
	K44X	1.4521	444	1,637	1,850	1,467	1,906	0,864
Austenitic stainless steels containing Manganese	161Mn			1,213	1,371	1,087	1,413	0,641
	164Mn	1.4372	201	1,434	1,620	1,284	1,669	0,757
Austenitic stainless steels	177A	1.4310	301	1,674	1,892	1,502	1,949	0,884
	177C	1.4310	301	1,674	1,892	1,502	1,949	0,884
	177E	1.4310	301	1,862	2,105	1,626	2,168	0,983
	189D	1.4301	304	1,763	1,992	1,592	2,052	0,931
	189E	1.4301	304	1,763	1,992	1,592	2,052	0,931
	189DDQ	1.4301	304	1,763	1,992	1,592	2,052	0,931
	1810L	1.4306	304L	1,913	2,162	1,749	2,227	1,010
	189L	1.4307	304L	1,763	1,992	1,592	2,052	0,931
	189EL	1.4307	304L	1,763	1,992	1,592	2,052	0,931
	1812D	1.4303	305	2,163	2,445	1,957	2,519	1,142
	1810T	1.4541	321	1,911	2,160	1,721	2,225	1,009
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,662	3,008	2,405	3,099	1,405
	1813MS	1.4435	316L	2,972	3,358	2,688	3,460	1,569
	1711MT	1.4571	316Ti	2,700	3,051	2,433	3,143	1,425
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,234	2,524	2,001	2,600	1,179
Duplex stainless steels	DX2205	1.4462		2,423	2,738	2,188	2,821	1,279



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on November 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,727	0,829	0,680	0,841	0,381
	MA2H	1.4021	420	0,727	0,829	0,680	0,841	0,381
	MA3	1.4028	420	0,724	0,826	0,680	0,838	0,380
	MA3H	1.4028	420	0,724	0,826	0,680	0,838	0,380
Ferritic stainless steels	K09	1.4512	409	0,688	0,784	0,624	0,796	0,361
	K30	1.4016	430	0,824	0,940	0,745	0,954	0,432
	K30ED	1.4016	430	0,824	0,940	0,745	0,954	0,432
	K30L	1.4010	430	0,824	0,940	0,728	0,954	0,432
	K31	1.4017	431	0,961	1,096	0,849	1,112	0,504
	K36	1.4526	436	1,469	1,675	1,298	1,699	0,771
	K36X	1.4526	436	1,469	1,675	1,298	1,699	0,771
	K39M	1.4510	430Ti	0,850	0,969	0,749	0,984	0,446
	K41	1.4509	441	0,999	1,139	0,893	1,156	0,524
	K44	1.4521	444	1,531	1,746	1,336	1,772	0,804
	K44X	1.4521	444	1,597	1,821	1,411	1,847	0,838
Austenitic stainless steels containing Manganese	161Mn			1,169	1,333	1,033	1,352	0,613
	164Mn	1.4372	201	1,380	1,574	1,219	1,597	0,724
Austenitic stainless steels	177A	1.4310	301	1,622	1,850	1,446	1,877	0,851
	177C	1.4310	301	1,622	1,850	1,446	1,877	0,851
	177E	1.4310	301	1,807	2,061	1,572	2,091	0,948
	189D	1.4301	304	1,708	1,948	1,535	1,977	0,897
	189E	1.4301	304	1,708	1,948	1,535	1,977	0,897
	189DDQ	1.4301	304	1,708	1,948	1,535	1,977	0,897
	1810L	1.4306	304L	1,857	2,118	1,685	2,149	0,975
	189L	1.4307	304L	1,708	1,948	1,535	1,977	0,897
	189EL	1.4307	304L	1,708	1,948	1,535	1,977	0,897
	1812D	1.4303	305	2,105	2,401	1,889	2,436	1,105
	1810T	1.4541	321	1,856	2,117	1,661	2,148	0,974
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,605	2,971	2,328	3,015	1,367
	1813MS	1.4435	316L	2,914	3,323	2,603	3,372	1,529
	1711MT	1.4571	316Ti	2,643	3,014	2,357	3,059	1,387
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,170	2,474	1,927	2,511	1,139
Duplex stainless steels	DX2205	1.4462		2,359	2,690	2,114	2,730	1,238



APERAM STAINLESS PRECISION

Precision Alloy Surcharges

Applicable on December 1st, 2018

Aperam Stainless Precision Grades		EN	AISI	€uro/KG	CHF/KG	GBP/KG	USD/KG	USD/LBS
Martensitic stainless steels	MA2	1.4021	420	0,727	0,829	0,688	0,827	0,375
	MA2H	1.4021	420	0,727	0,829	0,688	0,827	0,375
	MA3	1.4028	420	0,724	0,826	0,688	0,825	0,374
	MA3H	1.4028	420	0,724	0,826	0,688	0,825	0,374
Ferritic stainless steels	K09	1.4512	409	0,688	0,784	0,631	0,783	0,355
	K30	1.4016	430	0,823	0,938	0,750	0,937	0,425
	K30ED	1.4016	430	0,823	0,938	0,750	0,937	0,425
	K30L	1.4010	430	0,823	0,938	0,726	0,937	0,425
	K31	1.4017	431	0,952	1,085	0,839	1,084	0,491
	K36	1.4526	436	1,474	1,680	1,299	1,677	0,761
	K36X	1.4526	436	1,474	1,680	1,299	1,677	0,761
	K39M	1.4510	430Ti	0,849	0,967	0,752	0,966	0,438
	K41	1.4509	441	0,996	1,136	0,895	1,134	0,514
	K44	1.4521	444	1,539	1,754	1,349	1,752	0,794
	K44X	1.4521	444	1,603	1,827	1,413	1,824	0,827
Austenitic stainless steels containing Manganese	161Mn			1,164	1,326	1,026	1,324	0,601
	164Mn	1.4372	201	1,353	1,542	1,193	1,540	0,698
Austenitic stainless steels	177A	1.4310	301	1,581	1,802	1,396	1,799	0,816
	177C	1.4310	301	1,581	1,802	1,396	1,799	0,816
	177E	1.4310	301	1,769	2,016	1,526	2,013	0,913
	189D	1.4301	304	1,663	1,896	1,478	1,893	0,858
	189E	1.4301	304	1,663	1,896	1,478	1,893	0,858
	189DDQ	1.4301	304	1,663	1,896	1,478	1,893	0,858
	1810L	1.4306	304L	1,806	2,058	1,617	2,055	0,932
	189L	1.4307	304L	1,663	1,896	1,478	1,893	0,858
	189EL	1.4307	304L	1,663	1,896	1,478	1,893	0,858
	1812D	1.4303	305	2,042	2,328	1,806	2,325	1,054
	1810T	1.4541	321	1,804	2,057	1,593	2,054	0,932
Austenitic stainless steels containing molybdenum	1811ML	1.4404	316L	2,557	2,915	2,261	2,911	1,320
	1813MS	1.4435	316L	2,861	3,261	2,525	3,257	1,477
	1711MT	1.4571	316Ti	2,594	2,957	2,285	2,953	1,339
Heat resisting stainless steels according to EN 10095	R2012	1.4828	309	2,105	2,399	1,843	2,396	1,086
Duplex stainless steels	DX2205	1.4462		2,343	2,671	2,091	2,667	1,210